HOUSE No. 1899

By Mr. Linsky of Natick, petition of David Paul Linsky and others relative to further regulating the sale of handguns in the Commonwealth. Public Safety and Homeland Security.

The Commonwealth of Massachusetts

1	וח	EΊ	Гī	rn	ויד	r a	1	N	T A	\cap	TC.	
- 1	М	C I	ш	ш	ı	ľ	. ,	1	ı١	U		

David Paul Linsky Ruth B. Balser Alice Hanlon Peisch

In the Year Two Thousand and Five.

AN ACT PROTECTING CHILDREN AND ADULTS FROM UNSAFE HANDGUNS.

Be it enacted by the Senate and House of Representatives in General Court assembled, and by the authority of the same, as follows:

- 1 Chapter 93A of the General Laws is hereby amended by adding
- 2 the following section:—
- 3 Section 12. (A) Definitions.
- 4 For purposes of this section, the following terms shall have the
- 5 following meanings:
- 6 Average group diameter test result: shall mean the arithmetic
- 7 mean of three separate group diameter test results taken from a set
- 8 distance.
- 9 Combination handle lock: shall mean a device which precludes
- 10 the use of the handgun unless the combination tumblers are prop-
- 11 erly aligned. This device may, for example, have the numbers for
- 12 the combination tumbler protrude from the handle of the handgun.
- 13 Educational collector: shall mean an individual who is prop-
- 14 erly licensed as a bona fide collector and whose collection is
- 15 maintained for purposes of display, research, lecturing, demon-
- 16 stration, or historical significance, as opposed to being maintained
- 17 for personal enjoyment and/or possible future profit.
- 18 Group diameter test result: shall mean the largest spread in
- 19 inches between the centers of any of the holes made in a test
- 20 target after firing five rounds from the handgun in question at the

- 21 target from a set distance. The ammunition used shall be the type
- 22 recommended by the handgun manufacturer in its user manual, or
- 23 if none is recommended, any standard ammunition of the correct
- 24 caliber in new condition.
- 25 Hammer deactivation device: shall mean a built-in device (or
- 26 an extension of the hammer) which allows a user manually to
- 27 lower the handgun's hammer into a deactivated position, and
- 28 which must be manually re-toggled in order to re-cock the
- 29 hammer before the handgun can be fired.
- 30 Handgun: shall mean a weapon, designed to be fired by the use
- 31 of a single hand, from which maybe be fired or ejected one or
- 32 more solid projectiles propelled via a chemical ignition, and
- 33 which has:

- 34 (a) A smooth bore with a barrel less than 18 inches long;
- 35 (b) A smooth bore and an overall weapon length of less than 26 36 inches; or
- 37 (c) A rifled bore with a barrel less than 16 inches.
- 38 Handgun Drop Test: shall mean a test in which the handgun in
- 39 question shall be:
- 41 (b) Set such that the handgun is ready to fire; and
- 42 (c) Dropped onto a solid slab on concrete from a height of one
- 43 meter from each of the following positions:
- 44 1. Normal firing position,

(a) Test loaded;

- 45 2. Upside down,
- 46 3. On grip,
- 47 4. On the muzzle,
- 48 5. On either side, and
- 49 6. On the exposed hammer or striker (or if there is no exposed
- 50 hammer or striker, then the rearmost part of the firearm).
- In addition, if the handgun is designed so that its hammer or
- 52 striker may be set in other positions, the handgun in question shall
- 53 be tested with the hammer or striker in each such position (but
- 54 otherwise ready to fire). Alternatively, the tester may use different
- 55 handguns of the same make and model, in similar condition, for
- 56 the test of each of these hammer/striker/ settings.
- 57 Handgun Performance Test: shall mean a test in which the
- 58 handgun in question shall fire 600 rounds, stopping every 100
- 59 rounds to tighten any loose screws and to clean the gun (if

- 60 required by the cleaning schedule in the user manual), and as
- 61 needed to refill the empty magazine or cylinder to capacity before
- 62 continuing. For any handgun that loads other than via a detachable
- 63 magazine, the tester shall also pause every 50 rounds for ten min-
- 64 utes. The ammunition used shall be the type recommended by the
- handgun manufacturer in its user manual, or if none is recom-
- 66 mended, any standard ammunition of the correct caliber in new
- 67 condition. A handgun shall pass this test if it:
 - (a) Fires the first 20 rounds without a malfunction, and
- 69 (b) Fires the full 600 rounds with no more than six malfunc-70 tions and without any crack or breakage of an operating part of the 71 handgun which increases the danger of injury to the user.
- Handgun-purveyor: shall mean any person or entity that transfers handguns to a customer located within the Commonwealth of Massachusetts. However, handgun-purveyor shall not include any of the aforementioned if:
- 76 (a) The person or entity transfers less than five handguns per 77 year,
- 78 (b) The transfer in question is for the purpose of, and does, 79 directly or indirectly, supply law enforcement officials or United 80 States military personnel with handguns for their official duties,
- 81 (c) The transfer in question is for the purpose of, and does, 82 directly or indirectly, supply museums or educational collectors 83 with the handguns in question,
- 84 (d) The transfer in question is undertaken to, and does, result in 85 the surrender of handgun to military or law enforcement per-86 sonnel,
- 87 (e) The transfer in question is of handguns that qualify as 88 antique firearms as defined in 18 U.S.C. s. 921, or
- 89 (f) The transfer in question is of handguns that are solely 90 designed and sold specifically for formal target shooting competition.
- 92 Key activated trigger lock: shall mean a device that when 93 locked in place by means of a key, prevents a potential user from 94 pulling the trigger of the handgun without first removing the 95 trigger lock by use of the trigger lock's key.
- 96 Load indicator: shall mean a device which plainly indicates97 that a cartridge is in the firing chamber within the handgun.

98 Magazine safety disconnect: shall mean a device that prevents 99 the firing of the handgun when the magazine is detached from the 100 handgun.

Make and Model: shall mean any group of handguns, all of which are made by a manufacture, by the same method and according to the same design pattern and specifications.

Make and Model Performance Requirements: shall mean a test in which three handguns in new condition of the make and model being tested shall each pass the Handgun Performance Test.

Make and Model's Average Group Diameter Test Result: shall mean the arithmetic mean of the results of three Average Group Diameter Tests, each preformed on a different handgun in new condition of the make and model being tested.

Malfunction: shall mean any failure to feed, chamber, fire, extract, or eject a round, or any failure to accept or eject a magazine, or any other failure which prevents the handgun, without manual intervention beyond that needed for routine firing and periodic reloading, from firing the chambered round or moving a new round into position so that the handgun is capable of firing the new round properly. Malfunction shall not include a misfire caused by a faulty cartridge whose primer fails to detonate when properly hit by the handgun's firing mechanism.

Passive use-limitation device: shall mean a device that automatically resets itself so that an unauthorized user cannot fire the handgun. As an example, a key activated trigger lock is not a passive use-limitation device because it needs to be re-locked manually after its key is used to unlock it; thus the next user can fire the handgun without having to unlock the handgun.

126 Prone to accidental discharge: shall mean unable to pass the 127 following test: five handguns in new condition of the make and 128 model in question shall each be subjected to, and none shall dis-129 charge during, the Handgun Drop Test.

130 Ready to fire: shall mean loaded, and in a condition such that 131 pulling the trigger (and taking any action that must simultaneously 132 accompany the pulling of the trigger as part of the firing proce-133 dure) will fire the handgun.

134 Serial number: shall mean the number stamped, inscribed, or 135 placed upon a handgun by a handgun-purveyor pursuant to M.G.L. 136 c. 269, s. 11E.

- 137 Solenoid use-limitation device: shall mean a device which pre-
- 138 cludes, by use of a magnetically activated relay, the firing of the
- handgun unless a magnet of the appropriate strength is placed in 139
- 140 proximity to the handle of the handgun. Such magnet may be
- imbedded in a ring which can be worn on the user's gun hand. 141
- 142 Test loaded: shall mean loading each chamber of the handgun in question with an empty case with a primer installed.
- Transfer: shall mean sell, rent, or lease. Transfer shall not 144
- 145 include a sale to a business entity that is primarily a firearm
- 146 wholesaler, so long as the sale, by its terms, prohibits the pur-
- 147 chaser from reselling the handgun to a handgun retailer or con-
- 148 sumer in the Commonwealth.
- 149 (B) Unfair or Deceptive Practices: General.
- (1) It shall be an unfair or deceptive practice for any handgun-150
- 151 purveyor, in conjunction with the transfer (or offer to transfer) of
- 152 a handgun to a consumer in the Commonwealth, to fail to comply
- 153 with M.G.L. c. 93A or any other existing local, state, or federal
- 154 statute, rule or regulation whose implementation serves to protect
- 155 consumers from unfair and deceptive practices by means
- 156 including, but not limited to, regulating conditions of sale, pre-
- 157 cluding sale of products when such sale will place purchasers in
- 158 violation of the law, demanding the disclosure of information, and
- ensuring the satisfactory condition and non-contraband status of 159
- 160 goods proffered for sale. Examples of the above included laws,
- 161 regulations, and rules that:
- 162 (a) Forbid the sale of handguns to juveniles, addicts, or men-163 tally incompetent individuals,
- 164 (b) Forbid the sale of silencers, armor penetrating bullets, or 165 machine-gun pistols (when possession by purchasers will be
- 166 unlawful).
- (c) Forbid participation in any way in the obliteration of serial 167 numbers from handguns prior to sale, 168
- 169 (d) Forbid the sale of handguns whose serial numbers have 170 been defaced.
- 171 (e) Require sellers to keep records of handgun sales,
- 172 (f) Forbid sellers from delivering or transporting handguns,
- 173 loaded, or
- 174 (g) Forbid the delivery of handguns to the custody of a minor.

186

197

198

201

204

205

- 175 (2) It shall be an unfair or deceptive practice for a handgun-pur-176 veyor to make material misrepresentations or make false certifications regarding any handgun offered for transfer. 177
 - (C) Tamper-Resistant Serial Numbers.
- 179 It shall be an unfair or deceptive practice for a handgun-pur-180 veyor to transfer or offer to transfer to any customer located 181 within the Commonwealth any handgun on which the serial 182 number has been placed solely in a location on the handgun that 183 results in the number's susceptibility to eradication. A serial 184 number shall be deemed not susceptible to eradication for pur-185 poses of this section if:
- (1) It is placed on the interior of the handgun, and the handgun-187 purveyor provides information regarding the location of the inte-188 rior serial number to the Office of the Attorney General and other 189 law enforcement officials upon request; or
- 190 (2) It is placed on the exterior of the handgun in a way that is 191 not visible to the unaided eye, but is visible with the aid of an 192 infrared detector or other device and the handgun-purveyor pro-193 vides information regarding the location of the no visible serial 194 number of any method by which this number can be made view-195 able to the Office of the Attorney General and other law enforce-196 ment officials upon request.
 - (D) Sale of Handgun Made From Inferior Materials.
- It shall be an unfair or deceptive practice for a handgun-pur-199 veyor to transfer or offer to transfer to any customer located 200 within the Commonwealth any make and model of handgun that:
 - (1) Has a frame, barrel, cylinder, side or breechblock:
- 202 (a) Composed of any metal having a melting point less that 900 203 degrees F,
 - (b) Composed of any material having an ultimate tensile strength of less than 55,000 pounds per square inch, or
- (c) Composed of any powdered metal having a density of less 207 than 7.5 grams per cubic centimeter; or
- (2) Is prone to repeated firing based in a single pull of the 208 trigger, prone to the explosion of the handgun during firing with 209 standard ammunition, or prone to accidental discharge. 210
- 211 (3) Subsection (D) shall not apply to any make and model of 212 handgun which satisfies the Make and Model Performance 213 Requirements. The Attorney General may require that the

229

- 214 handgun-purveyor, or the entity testing the make and model in 215 question on behalf of the handgun-purveyor, provide a sworn cer-216 tification verifying that the make and model met the performance 217 requirements. At the Attorney General's discretion, he may, upon 218 60 days notice, require that any such test be performed again by 219 an independent testing entity chosen by the Attorney General, 220 upon three test guns of the make and model purchased at retail. In such a case, the prior certification shall be prospectively invalid at 222 the conclusion of the notice period and the make and model in question may henceforth only meet the Make and Model Perfor-223 224 mance Requirements by obtaining a certification from the inde-225 pendent tester. A handgun-purveyor may resubmit a make and 226 model to the independent tester for testing an unlimited number of 227 times.
 - (E) Sale of Handguns Without Childproofing or Safety Devices.
- (1) It shall be an unfair or deceptive practice to sell a handgun 230 without a safety device in violation of M.G.L. c. 140, s. 131K.
- (2) It shall be an unfair or deceptive practice for a handgun-pur-231 232 veyor to transfer or offer to transfer to any customer located 233 within the Commonwealth any handgun which does not contain a 234 mechanism which effectively precludes an average five year old 235 child from operating the handgun when it is ready to fire; such 236 mechanisms shall include, but are not limited to: raising trigger resistance to at least a ten pound pull, altering the firing mecha-238 nism so that an average five year old child's hands are too small to 239 operate the handgun, or requiring a series of multiple motions in 240 order to fire that handgun.
- (3) Is shall be an unfair or deceptive practice for a handgun-242 purveyor to transfer or offer to transfer to any customer located 243 within the Commonwealth any handgun which does not contain a load indicator or a magazine safety disconnect. 244
- (4) Subsection (E)(2) shall not apply to handguns which have a 245 246 hammer deactivation device. Subsection (E)(3) applies only to 247 handguns that have a mechanism to load cartridges via a maga-248
- 249 (F) Safety Warning /Disclosures.
- 250 (1) It shall be an unfair or deceptive practice for a handgun-pur-251 vevor to transfer or offer to transfer to any customer located 252 within the Commonwealth any handgun unless that handgun is

274

275

277 278

279 280

282

284

accompanied by the following warning, provided on a separate 254 sheet of paper included within the packaging enclosing the gun, 255 which, in at least 12 point type, states the following:

"WARNING FROM THE MASSACHUSETTS ATTORNEY 256 257 GENERAL: This handgun is not equipped with a device that fully 258 blocks use by unauthorized users. More than 200,000 firearms like 259 this one are stolen from their owners every year in the United 260 States. In addition, there are more than a thousand suicides each year by younger children and teenagers who get access to 262 firearms. Hundreds more die from accidental discharge. It is likely 263 that many more children sustain serious wounds, or inflict such 264 wounds accidentally on others. In order to limit the chance of such 265 misuse, it is imperative that you keep this weapon locked in a 266 secure place and take other steps necessary to limit the possibility 267 of theft or accident. Failure to take reasonable preventive steps 268 may result in innocent lives being lost, and in some circumstances 269 may result in your liability for these deaths."

Failure to include this warning in the packaging enclosing the 271 gun shall not be a violation of this section if the handgun in ques-272 tion complies with subsection (E)(1) by means of a built in pas-273 sive use-limitation device including but not limited to a nondetachable solenoid use-limitation device.

- (2) It shall be an unfair or deceptive practice for a handgun-pur-276 veyor to transfer directly to a retail customer located within the Commonwealth without demonstrating how to load, unload, and safely store the handgun, and how to engage and disengage all safety devices on the handgun. This shall include an explanation of the circumstance for which the safety devices are designed to 281 prevent the firing of the handgun. The handgun purveyor shall also note for the retail customer the absence, if any, of the 283 following:— a bad load indicator, a magazine safety disconnect or an internal safety.
- 285 (3) It shall be and unfair or deceptive practice for a handgun-286 purveyor to transfer to a customer located within the Common-287 wealth a handgun that has a barrel shorter than three inches, unless the handgun-purveyor discloses the limits of the accuracy 288 289 of the make and model of the handgun for sale by providing in 290 writing to the customer (prior to sale) the make and model's 291 average group diameter test result at seven yards, average group

- 292 diameter test result at 14 yards and, average group diameter rest 293 result at 21 yards.
- 294 (G) Transfer of Used Handguns.
- (1) Subsection (C) and subsection (E)(2) and (3) shall not apply 296 to the transfer of (or offer to transfer) any handgun that previously had been sold at retail to a consumer and that was manufactured prior to the enforcement date for those provisions.
- (2) Subsection (F)(3) shall not apply to the transfer of (or offer 300 to transfer) any handgun that previously has been sold at retail to 301 a consumer, was manufactured prior to the effective date for sub-302 section (F)(3), and for which the handgun-purveyor discloses the 303 limits of the accuracy of the specific handgun for sale by pro-304 viding in writing to the customer (prior to sale) the handgun's 305 average group diameter test result at seven yards, average group 306 diameter test result at 14 yards, and average group diameter test 307 result at 21 yards.
- 308 (3) Subsection (D)(2), as it pertains to any make and model 309 prone to accidental discharge, shall not apply to the transfer of (or 310 offer to transfer) any handgun that previously has been sold at 311 retail to a consumer, was manufactured prior to the effective date 312 for subsection (D)(2), and for which the handgun-purveyor has preformed the Handgun Drop Test on the handgun in question in 314 fully cocked position, and on the same handgun (or on other hand-315 guns of the same make and model in similar condition) in all other 316 hammer/striker positions, and that there were no discharges during 317 the test.
- 318 (4) Subsection (D)(1) shall not apply to the transfer of (or offer to transfer) any handgun that previously has been sold at retail to 320 a consumer, was manufactured prior to the effective date for sub-321 section (D)(1), and for which the handgun-purveyor provides a 322 sworn certification to the buyer that the specific handgun pur-323 chased passed the Handgun Performance Test.
- 324 (H) Severability.
- 325 If any section or subsection of this Act shall be held invalid, the 326 validity of the remainder of the Act shall not be affected thereby. If the application of any section or subsection of this Act to any 327 328 person or circumstance shall be held invalid, the applicability of 329 such section or subsection to any other person or circumstance 330 shall not be affected thereby.

- 331 (I) Effective Dates.
- 332 This Act shall take effect as follows:
- 333 (1) Subsections (A), (B), (H), (F) (1), and (I) shall apply to acts
- 334 committed or practices in force as of January 1, 2004.
- 335 (2) Subsections (D) and (C)(2), (3), and (4) shall apply to acts
- 336 committed or practices in force as of June 30, 2004
- 337 (3) Subsections (C), (E), and (G)(1) shall apply to acts com-
- 338 mitted or practices in force as of September 30, 2004.